

## 32-Bit Installation

	Workstation	Application-Server
Supported Operating System (32-Bit and 64-Bit)	Windows 7 Professional with SP1 Windows 7 Ultimate with SP1 Windows 7 Enterprise with SP1 Windows10 Pro Windows10 Enterprise  Citrix XenApp 6 ***	Windows 7 Professional with SP1 * Windows 7 Ultimate with SP1 * Windows 7 Enterprise with SP1 * Windows10 Pro * Windows10 Enterprise * Windows Server 2012 R2 Standard with SP1 **
Supported Applications	Microsoft Visio Professional 2010 with SP2 (32-Bit) Microsoft Visio Professional 2013 with SP1 (32-Bit) Microsoft Visio Professional 2016 (32-Bit)  Microsoft Office 2010 with SP2 (32-Bit) Microsoft Office 2013 with SP1 (32-Bit) Microsoft Office 2016 (32-Bit)	
Additional supported Software (32-Bit)	PDF Writer Visio Viewer 2010, 2013 and 2016	

\* The number of accesses to network shares is limited with these operating systems

\*\* Visio P&ID Process Designer 2016.1 was tested with the Windows Server 2012 Standard Edition

\*\*\* Citrix needs to be used when Visio P&ID Process Designer is run in a WAN environment

## 64-Bit Installation

	Workstation	Application-Server
Supported Operating System (64-Bit)	Windows 7 Professional with SP1 Windows 7 Ultimate with SP1 Windows 7 Enterprise with SP1 Windows10 Pro Windows10 Enterprise  Citrix XenApp 6 ***	Windows 7 Professional with SP1 * Windows 7 Ultimate with SP1 * Windows 7 Enterprise with SP1 * Windows10 Pro * Windows10 Enterprise * Windows Server 2012 R2 Standard with SP1 **
Supported Applications	Microsoft Visio Professional 2010 with SP2 (64-Bit) Microsoft Visio Professional 2013 with SP1 (64-Bit) Microsoft Visio Professional 2016 (64-Bit)  Microsoft Office 2010 with SP2 (64-Bit) Microsoft Office 2013 with SP1 (64-Bit) Microsoft Office 2016 (64-Bit)	
Additional supported Software (64-Bit)	PDF Writer Visio Viewer 2010, 2013 and 2016	

\* The number of accesses to network shares is limited with these operating systems

\*\* Visio P&ID Process Designer 2016 was tested with the Windows Server 2012 Standard Edition

\*\*\* Citrix needs to be used when Visio P&ID Process Designer is run in a WAN environment

Minimum System Requirements	Workstation	Application-Server
Processor (CPU)	Intel Dual Core or higher resp. AMD Athlon X2 or higher	Intel Xeon resp. AMD Opteron
Memory (RAM)	2 GB RAM	2 GB RAM
Free Hard Disk Memory	2 GB	Depending on database sizes, > 10 GB
Graphic Adapter	SXGA with 256 MB RAM	
Optical Drive	DVD ROM	DVD ROM
Network Adapter	Ethernet Adapter 100 Mbit/s TCP/IP Protocoll	Ethernet Adapter 100 Mbit/s TCP/IP Protocoll

System Recommendation	Workstation	Application-Server
Memory (RAM)	8 GB RAM	>12 GB RAM
Graphic Adapter	Graphics hardware acceleration requires a DirectX 10 graphics card	
Display	Resolution 24 Inch 1920x1200	
Network Adapter	Ethernet Adapter 1000 MBit/s	Ethernet Adapter 1000 MBit/s

Please also consider the system requirements of the listed software products.